

## Epson PS-180 bloc alim. 24V (sans cable)

Neuf

Epson PS-180 bloc alim. 24V (sans cable). Utilité: Imprimante, Type d'alimentation d'énergie: Intérieure, Compatibilité: - TM-L90 Liner-Free - TM-L500A (115): W/O LCD, PS Short,COMBO IF - TM-L500A (114): W/O LCD,Tray,PS.... Couleur du produit: Noir. Largeur du colis: 90 mm, Profondeur du colis: 190 mm, Hauteur du colis: 85 mm. Quantité: 1 pièce(s). Produits par couche de palette: 40 pièce(s), Produits par couche de palette (RU): 80 pièce(s), Produits par palette (RU): 1080 pièce(s)

EAN : 8715946115733

Réf. : C32C825341

Puissance totale:

Tension d'entrée AC:

Puissance de sortie:

Plus d'infos



### Éco-indice

Score : 2.1/10

Cette note est donnée à titre indicatif et a pour but de fournir une information supplémentaire sur la durabilité du produit concerné.

Empreinte carbone



N.C.

L'empreinte carbone est un indicateur qui mesure la quantité de gaz à effet de serre relâchée dans l'atmosphère. Plus le chiffre est bas, plus le produit est respectueux de l'environnement (données récoltées auprès des constructeurs et à la lueur d'études menées par l'ADEME).

Réparabilité



N.C.

L'indice de réparabilité est une mesure prise dans le cadre de la loi anti-gaspillage promulguée le 10 février 2020 ; C'est une note sur 10, attribuée par le fabricant de l'appareil sur plusieurs critères en fonction de grilles de notation définies par le Ministère de la transition écologique.

Le produit **Boitier d'alimentation Epson**, dont la référence est **C32C825341**, a obtenu la note de **2.1/10**.

Dans le détail :

- Selon la version 23,1 de la Base Carbone de l'Ademe datant du 18/09/2023, l'empreinte carbone moyenne de ce produit est de **kg**. Nous travaillons activement avec Epson pour vous fournir une donnée plus précise. En attendant une prochaine mise à jour, cette donnée peut malgré tout être prise en compte pour vos rapports extra-financiers.

La note de ce produit est inférieure à 6/10, vous ne pouvez donc pas bénéficier d'une extension gratuite de garantie. Si vous-même et/ou votre organisation êtes engagés dans une démarche d'achat responsable, nous vous invitons à regarder les produits dont la note est supérieure à 6. Vous trouverez également à la fin de la description marketing du produit, quelques suggestions de produits plus durables.

## Qui est le vendeur :

hello RSE est une plateforme Française qui a pour ambition d'aider les professionnels (public/privé) à acheter plus responsable. Permettre aux acheteurs professionnels de concilier performance économique et performances environnementale et sociétale est notre mission. L'Éco-indice a été créé pour vous aider dans cette démarche.

Nous travaillons également très dur pour être en cohérence avec notre vision et sommes fiers d'avoir engagé une démarche RSE. Voici quelques informations utiles

- Ecovadis Bronze
- Label Numérique Responsable niveau 2
- Signataire de la Charte Relations fournisseurs et achats responsables
- Membre actif de l'Economie Sociale et Solidaire

N'hésitez pas à consulter notre rapport RSE pour en savoir plus sur notre société.

**01**

### L'Éco-indice

comparez les produits selon leur impact RSE (critères ADEME)

**02**

### Seconde main ?

neuf, reconditionné ou en location, c'est vous qui choisissez !

**03**

### Les meilleurs prix

toute l'année, grâce à notre comparateur automatisé

**04**

### Reprise

on vous reprend votre ancien matériel, contactez-nous !

## Caractéristiques techniques

### Caractéristiques

Type d'alimentation d'énergie

Intérieure

Utilité

Imprimante

- TM-L90 Liner-Free - TM-L500A (115): W/O LCD, PS Short, COMBO IF - TM-L500A (114): W/O LCD, Tray, PS Short, COMBO IF - Epson TM-U950P (253): Parallel, w/o PS, ECW, modified paper guide - Epson TM-U950P (252): Parallel, w/o PS, ECW - Epson TM-U950 Series - Epson TM-U950 (285): Serial, w/o PS, ECW, modified paper guide - Epson TM-U950 (283): Serial, w/o PS, ECW - Epson TM-U675P (032): Parallel, w/o PS, ECW, Auto cutter - Epson TM-U675P (012): Parallel, w/o PS, ECW - Epson TM-U675 (043): Serial, w/o PS, ECW, MICR, Auto cutter - Epson TM-U675 (012): Serial, w/o PS, ECW - Epson TM-U590 Series - Epson TM-U590 (112): Serial, w/o PS, ECW - Epson TM-U295P (262): Parallel, w/o PS, EDG - Epson TM-U295 Series - Epson TM-U295 (292): Serial, w/o PS, EDG - Epson TM-U295 (272): Serial, w/o PS, ECW - Epson TM-U230P (136): Parallel, PS, EDG - Epson TM-U230P (017): Parallel, w/o PS, ECW - Epson TM-U230 (157): Ethernet, PS, EDG - Epson TM-U230 (156): Ethernet, PS, EDG - Epson TM-U230 (136): Serial, PS, EDG - Epson TM-U230 (039): Ethernet, w/o PS, ECW - Epson TM-U230 (038): Ethernet, PS, ECW - Epson TM-U230 (037): Ethernet, w/o PS, ECW - Epson TM-U230 (036): Ethernet, PS, ECW - Epson TM-U230 (016): Serial, PS, ECW - Epson TM-U220PD (052): Parallel, PS, EDG - Epson TM-U220PD (002): Parallel, PS, ECW - Epson TM-U220PB (057): Parallel, PS, EDG - Epson TM-U220PB (007): Parallel, PS, ECW - Epson TM-U220PA (057): Parallel, PS, EDG - Epson TM-U220PA (007): Parallel, PS, ECW - Epson TM-U220D Series - Epson TM-U220D (052B0): USB+DMD, PS, EDG, EU - Epson TM-U220D (052): Serial, PS, EDG - Epson TM-U220D (012A0): USB+DMD, PS, ECW - Epson TM-U220D (002): Serial, PS, ECW - Epson TM-U220B Series - Epson TM-U220B (057BE): UB-E04, PS, NE sensor, EDG - Epson TM-U220B (057A0): USB, PS, NE sensor, EDG - Epson TM-U220B (057): Serial, PS, NE sensor, EDG - Epson TM-U220B

(007A3): UB-E04, PS, NE sensor, ECW - Epson TM-U220B (007A0): USB, PS, NE sensor, ECW - Epson TM-U220B (007): Serial, PS, NE sensor, ECW - Epson TM-U220A Series - Epson TM-U220A (057): Serial, PS, EDG - Epson TM-U220A (007): Serial, PS, ECW - Epson TM-T90P (011): Parallel, w/o PS, ECW - Epson TM-T90 (022): Serial, PS, EDG - Epson TM-T90 (011): Serial, w/o PS, ECW - Epson TM-T88VI (115): Powered USB, w/o PS, w/o cable, Black - Epson TM-T88V Series - Epson TM-T88V (953): Bluetooth + Built-in USB, PS, EDG, EU - Epson TM-T88V (837): Parallel, w/o PS, ECW - Epson TM-T88V (833): Parallel, PS, EDG, EU - Epson TM-T88V (813): Parallel, PS, ECW, EU - Epson TM-T88V (654): Ethernet UB-E04, PS, EDG, Buzzer, EU - Epson TM-T88V (653): Ethernet UB-E04, PS, ECW, Buzzer, EU - Epson TM-T88V (321B1): Wifi, PS, EDG, UK - Epson TM-T88V (321B0): Wifi, PS, EDG, EU - Epson TM-T88V (236): Ethernet, PS, EDG, Buzzer, UK - Epson TM-T88V (231A0): Serial, PS, EDG, Buzzer, EU - Epson TM-T88V (225): Ethernet, PS, ECW, Buzzer, UK - Epson TM-T88V (224): Ethernet, PS, ECW, Buzzer, EU - Epson TM-T88V (221A0): Serial, PS, ECW, Buzzer, EU - Epson TM-T88V (151): Bluetooth, PS, ECW, EU - Epson TM-T88V (052): Powered USB, w/o PS, ECW - Epson TM-T88V (051): Powered USB, w/o PS, EDG - Epson TM-T88V (050): Powered USB, w/o PS, Black - Epson TM-T88V (042): Serial, PS, EDG, EU - Epson TM-T88V (041): Serial, w/o PS, EDG - Epson TM-T88V (034): Serial, w/o PS, ECW - Epson TM-T88V (031B1): Wifi, PS, ECW, UK - Epson TM-T88V (031B0): Wifi, PS, ECW, EU - Epson TM-T88V (031): Serial, w/o PS, ECW - Epson TM-T88V (012): Serial, PS, ECW, EU - Epson TM-T88IV Restick Series - Epson TM-T88IV ReStick (366): Serial, PS, EDG, Buzzer, EU - Epson TM-T88IV ReStick (356): Serial, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88IV ReStick (346A1): USB, PS, EDG, Buzzer, EU - Epson TM-T88IV ReStick (345A2): USB, PS, ECW, Buzzer, EU - Epson TM-T88IV ReStick (336A2): Parallel, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88IV ReStick (336A1): USB, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88IV ReStick (335A2): USB, PS, ECW, 58mm, Buzzer, EU - Epson TM-T88IV (831): Parallel, w/o PS, EDG - Epson TM-T88IV (436): Serial, w/o PS, EDG, low power,

## Compatibilité

low peak 9600 bps - Epson TM-T88IV (321BB): Ethernet, PS, EDG - Epson TM-T88IV (231A2): Ethernet, PS, EDG, Buzzer - Epson TM-T88IV (221A2): Ethernet, PS, ECW, Buzzer - Epson TM-T88IV (081): Serial, w/o PS, EDG - Epson TM-T88IV (061BB): Ethernet, PS, ECW - Epson TM-T88IV (061B1): Ethernet, PS, ECW - Epson TM-T70 (024A1): Ethernet, PS, EDG - Epson TM-T70 (024A0): Ethernet, PS, EDG - Epson TM-T70 (023A0): Powered USB, w/o PS, ECW - Epson TM-T70 (001): Parallel, PS, ECW - Epson TM-T260F (012): w/o IF, EDG (58mm\*2) - Epson TM-L90P (022): Parallel, PS, EDG - Epson TM-L90P (012): Parallel, PS, ECW - Epson TM-L90P (011): Parallel, w/o PS, ECW - Epson TM-L90 Liner-free Series - Epson TM-L90 (192): Ethernet, PS, EDG - Epson TM-L90 (191): Ethernet, PS, EDG - Epson TM-L90 (022BA): Ethernet, PS, EDG - Epson TM-L90 (021): Serial, w/o PS, EDG - Epson TM-L90 (011): Serial, w/o PS, ECW - Epson TM-L60IIP (011): Parallel, w/o PS, ESG - Epson TM-L500A Ticket - Epson TM-L500A Series - Epson TM-L500A (710A1): RFID, Combo, PS short, EDG, LCD, SFW - Epson TM-L500A (710): RFID, Combo, PS short, EDG, LCD - Epson TM-L500A (118A1): LCD, Combo, PS short, ACS, SFW - Epson TM-L500A (118): LCD, Combo, PS short, ACS - Epson TM-L500A (113A2): W/O LCD,Tray,PS,COMBO IF - ARINC F/W - Epson TM-L500A (113): W/O LCD,Tray,PS,COMBO IF - Epson TM-L500A (112A1): Combo, PS, EDG, LCD, Tray - SITA F/W - Epson TM-L500A (112): Combo, PS, EDG, LCD, Tray - Epson TM-L500A (107A1): Combo, PS short, EDG, LCD, Tray - SITA F/W - Epson TM-L500A (107): Combo, PS short, EDG, LCD, Tray - Epson TM-J7600 (062): Serial, w/o PS, EDG, SJIC6(K), SJIC7(G) - Epson TM-J7500P (361): Parallel, w/o PS, EDG, SJIC8(K) - Epson TM-J7500P (311): Parallel, w/o PS, ECW, SJIC8(K) - Epson TM-J7500 (361BA): USB, w/o PS, EDG, SJIC8(K) - Epson TM-J7500 (361): Serial, w/o PS, EDG, SJIC8(K) - Epson TM-J7500 (311BA): USB, w/o PS, ECW, SJIC8(K) - Epson TM-J7500 (311): Serial, w/o PS, ECW, SJIC8(K) - Epson TM-J7100P (061): Parallel, w/o PS, EDG, SJIC6(K), SJIC7(R) - Epson TM-J7100P (011): Parallel, w/o PS, ECW, SJIC6(K), SJIC7(R) - Epson TM-J7100 (063): Serial, w/o PS, EDG, SJIC6(K), SJIC7(B) - Epson TM-J7100 (062):

Serial, w/o PS, EDG, SJIC6(K), SJIC7(G) -  
Epson TM-J7100 (061): Serial, w/o PS, EDG,  
SJIC6(K), SJIC7(R) - Epson TM-J7100 (033):  
Serial, w/o PS, ECW, SJIC6(K), SJIC7(B), MICR  
- Epson TM-J7100 (032): Serial, w/o PS, ECW,  
SJIC6(K), SJIC7(G), MICR - Epson TM-J7100  
(031): Serial, w/o PS, ECW, SJIC6(K),  
SJIC7(R), MICR - Epson TM-J7100 (013):  
Serial, w/o PS, ECW, SJIC6(K), SJIC7(B) -  
Epson TM-J7100 (012): Serial, w/o PS, ECW,  
SJIC6(K), SJIC7(G) - Epson TM-J7000P (081):  
Parallel, w/o PS, EDG, SJIC8(K), MICR - Epson  
TM-J7000P (031): Parallel, w/o PS, ECW,  
SJIC8(K), MICR - Epson TM-J7000 (061):  
Serial, w/o PS, EDG, SJIC8(K) - Epson TM-  
J7000 (031): Serial, w/o PS, ECW, SJIC8(K),  
MICR - Epson TM-J7000 (011): Serial, w/o PS,  
ECW, SJIC8(K) - Epson TM-H6000IV Series -  
Epson TM-H6000IV (906): Serial, PS, EDG, EU  
- Epson TM-H6000IV (905): Serial, PS, ECW,  
EU - Epson TM-H6000IV (904): Serial, PS,  
EDG, MICR, EU - Epson TM-H6000IV (903):  
Serial, PS, ECW, MICR, EU - Epson TM-  
H6000IV (514): Parallel, w/o PS, EDG - Epson  
TM-H6000IV (174): Powered USB, w/o PS,  
EDG - Epson TM-H6000IV (173): Powered USB,  
w/o PS, ECW - Epson TM-H6000IV (044):  
Serial, w/o PS, EDG, E/P - Epson TM-H6000IV  
(036): Powered USB, w/o PS, EDG, MICR -  
Epson TM-H6000IV (034A0): Powered USB, w/o  
PS, EDG, MICR - Epson TM-H6000IV (034):  
Serial, w/o PS, EDG, MICR - Epson TM-  
H6000IV (033A0): Powered USB, w/o PS, ECW,  
MICR - Epson TM-H6000IV (033): Serial, w/o  
PS, ECW, MICR - Epson TM-H6000IV (024):  
Serial, w/o PS, EDG, MICR, E/P - Epson TM-  
H6000IV (023): Serial, w/o PS, ECW, MICR, E/P  
- Epson TM-H6000IV (015): Serial, w/o PS,  
EDG - Epson TM-H6000IV (014): Serial, w/o PS,  
ECW - Epson TM-H6000III (514): Parallel, w/o  
PS, EDG - Epson TM-H6000III (513): Parallel,  
w/o PS, ECW - Epson TM-H6000III (212):  
Serial, w/o PS, ECW, Low Power - Epson TM-  
H6000III (173): Powered USB, w/o PS, ECW -  
Epson TM-H6000III (044BA): Powered USB, w/o  
PS, EDG - Epson TM-H6000III (044): Serial, w/o  
PS, EDG, E/P - Epson TM-H6000III (034BA):  
USB+DMD, w/o PS, EDG, MICR - Epson TM-  
H6000III (034A0): Powered USB, w/o PS, EDG,  
MICR - Epson TM-H6000III (034): Serial, w/o  
PS, EDG, MICR - Epson TM-H6000III (033BA):

USB+DMD, w/o PS, ECW, MICR - Epson TM-H6000III (033): Serial, w/o PS, ECW, MICR - Epson TM-H6000III (023): Serial, w/o PS, ECW, MICR, E/P - Epson TM-H6000III (015BA): USB+DMD, w/o PS, EDG - Epson TM-H6000III (014BA): USB+DMD, w/o PS, ECW - Epson TM-H5000IIP (012): Parallel, w/o PS, ECW - Epson TM-H5000II Series - Epson TM-H5000II (022): Serial, w/o PS, ECW, MICR - Epson TM-H5000II (012): Serial, w/o PS, ECW - Epson DM-D500BA: Stand-alone type with DP-501 (EDG) - Epson DM-D500BA: Stand-alone type with DP-501 (ECW) - Epson DM-D210BA: Stand-alone type with DP-210 (EDG) - Epson DM-D210BA: Stand-alone type with DP-210 (ECW) - Epson DM-D210 Series - Epson DM-D210 (711): Customer display head only (EDG) - Epson DM-D210 (701): Customer display head only (ECW) - Epson DM-D110BF: Stand-alone type with DP-110 and extension pole (ECW) - Epson DM-D110BA: Stand-alone type with DP-110 with IF (EDG) - Epson DM-D110BA: Stand-alone type with DP-110 (ECW) - Epson DM-D110 Series - Epson DM-D110 (714): Customer display head only (black) - Epson DM-D110 (712): Customer display head only (EDG) - Epson DM-D110 (704): Customer display head only (white) - Epson DM-D110 (101): Customer display head only Serial type (ECW) - DM-D110 (113): Customer Display, USB, Black - DM-D110 (103): Customer Display, USB, White

## Design

Couleur du produit	Noir
--------------------	------

## Informations sur l'emballage

Poids du paquet	482 g
Hauteur du colis	85 mm
Profondeur du colis	190 mm
Largeur du colis	90 mm

## Données logistiques

Pays d'origine	Chine
Hauteur brute de la palette	3,3 m
Longueur brute de la palette	120 cm
Largeur brute de la palette	80 cm

Produits par palette	720 pièces
Code du système harmonisé	85044095
Produits par couche de palette	40 pièces
Produits par couche de palette (RU)	80 pièces
Produits par palette (RU)	1080 pièces
Longueur de la palette (RU)	120 cm
Largeur de la palette (RU)	100 cm
Hauteur de la palette (RU)	3,3 m

### Contenu de l'emballage

Quantité	1 pièce
----------	---------



#### LIVRAISON RAPIDE

dès 24 à 72 heures



#### RETOURS SIMPLIFIÉS

[Voir nos conditions \(CGV\)](#)



#### PAIEMENT SÉCURISÉ

Chorus, CB, virement, chèque



#### SAV RÉACTIF

Par [email](#) ou par [téléphone](#)